REMARKS/ARGUMENTS

Favorable reconsideration is respectfully requested.

The withdrawn Claims 88-105 and 118-251 have been cancelled without prejudice to the filing of a divisional application directed thereto. The remaining claims are unamended.

As was explained in the last response, all of the claims recite that the container is thick bottomed and has octagonal inner and outer sections. See Figs. 13-15. Since a basket for supporting a fuel bar aggregate is housed in the bottomed container of the cask as a radioactive substance container, it is preferable that the internal shape of the bottomed container is formed into a shape which matches with the basket, particularly in a cask. Therefore the internal shape of the cask is desirably octagonal instead of circular. Moreover, in the case where the internal shape of the cask is octagonal, since it is advantageous to dimensions and weight that the thickness of the cask body is uniform as much as possible, it is desirable that the external shape of the cask body is also octagonal. This bottomed container can cope with such requirements (paragraph bridging pp. 97-98).

All of the claims were again rejected under 35 U.S.C. § 102 or 35 U.S.C. § 103 as being anticipated by or obvious over <u>Anspach et al</u>, or as being obvious over <u>Anspach et al</u> in view of <u>Kirchner et al</u>. According to the Office Action, the radiation container of <u>Anspach et al</u> is polygonal, and since an octagonal container is also polygonal it would have been obvious to have modified the container of <u>Anspach et al</u> to be octagonal. However this is respectfully traversed.

Initially, it is respectfully noted that the radiation container of Anspach et al is not polygonal in the direction recited in the claims. For example, Claim 59 recites in part: "sections of inner and outer circumferences of the thick bottomed container vertical to an axial direction of the thick bottomed container are octagonal." All of the other claims similarly recite the octagonal shape as being vertical to the axial direction.

The Office Action refers to Fig. 3 of <u>Anspach et al</u> to show a polygonal shape of the radiation container. However it may be appreciated that Fig. 3 of <u>Anspach et al</u> is a sectional view in a plane *parallel to* – not vertical to -- the container axis. Fig. 2 of <u>Anspach et al</u>, on the other hand, is a section taken vertical to the axial direction of the container. As is evident from Fig. 2, the container section vertical to the container axial direction is neither octagonal nor polygonal, but is *circular*. Thus the underlying rationale for the asserted motivation to modify <u>Anspach et al</u> according to the claims is not based on a correct reading of the disclosure of <u>Anspach et al</u>.

Additionally, one skilled in the art would not have found it obvious to have modified the circular section container of Anspach et al to be octagonal, for a number of reasons. First, it is an object of Anspach et al to provide a lining for a "cylindrical" container ("the invention is based on the problem of providing an inner lining for a cylindrical container;" col. 1, lines 41-42). A cylinder has a circular, and not a polygonal, section. Since it would not be obvious to modify a reference in a manner to render it unsatisfactory for its intended purpose (MPEP § 2143.01), the claims are unobvious for this reason alone.

Additionally, the liner 1 of <u>Anspach et al</u> is designed to have good contact with the container 3 by contracting in the circular section liner 1, inserting the liner in the container 3 with a gap 9 (Fig. 2), and releasing the tension on the liner.

It is especially favorable that with the manufacture of the base body 3 and the tolerances attainable thereby and the exactness possible today in rolling sheets there be attained an extraordinarily low tolerance of the cylindrical shape in the order of a few tenths mm with large inner diameter and container measurements. The surprising result thereby is that by the release of tension of the inner container jacket reduced in circumference in the assembly the remaining residual gap 10 between the base body 3 and the inner lining 1 is negligibly small and therefore a good heat transfer as well as good strength properties are guaranteed. (Col. 2, lines 21-33).

Application No. 09/926,811 Reply to Office Action of August 9, 2006

Thus Anspach et al relies on a circular section liner and container to ensure good

contact and heat transfer. The contraction of a non-circular (e.g., octagonal) liner, on the

other hand, would involve bending the liner at the corners of the octagon so that there may

not be an exact shape match with the container once the liner tension is released, resulting in

imperfect heat transfer. For this reason as well, an octagonal container is not consistent with

the objects of Anspach et al and would not have been obvious therein.

Finally, the Office Action has relied on the alleged absence of new or unexpected

results to support the supposed obviousness of an octagonal container in Anspach et al.

However this ignores the advantageous results described in the paragraph bridging pp. 97-98

of the specification. It is therefore respectfully submitted that the claims define over Anspach

et al.

Concerning the rejection of dependent Claims 64, 72, 77, 81 and 85 as being obvious

over Anspach et al in view of Kirchner et al, it is noted that Kirchner et al provides no

suggestion for modifying Anspach et al to have an octagonal section and so the claims define

over any combination of these references.

Applicant therefore believes that the present application is in a condition for

allowance and respectfully solicits an early Notice of Allowability.

Respectfully submitted,

OBLON, SPIVAK, McCLELLAND, MAIER & NEUSTADT, P.C.

Customer Number

22850

Tel: (703) 413-3000 Fax: (703) 413 -2220

(OSMMN 06/04)

Gregory J. Maier

Registration No. 25,599

Robert T. Pous

Registration No. 29,099

Attorneys of Record